

# SR-27-N

Item Code

47105-A



## SURROUND

SR-27-N

---

SUMINISTROS KELONIK SA  
C/ Badajoz, 159 bis - 08018 Barcelona - Spain  
Tel. +34 93 300 43 61  
Updated (DD/MM/YYYY): 19/08/2025



## Key Features

Key features include:

- High-Performance Driver: Equipped with an 8-inch low-frequency speaker, offering high sensitivity and robust power handling.
- Enhanced Bass and Frequency Response: Delivers a rich bass sound and an extended frequency range.
- Made in a durable, high-pressure polypropylene injection cabinet.
- Versatile Mounting Options: Includes three types of brackets, allowing for flexible installation in 7.1 or even Dolby Atmos configurations.

## Description

The SR-27-N is an advanced acoustic system tailored for high-dynamic surround sound, ideal for immersive audio experiences. This speaker system is engineered to function as a surround channel, ensuring comprehensive coverage across the entire auditorium.

The SR-27-N is perfect for creating an enveloping sound environment, making it an excellent choice for immersive cinema setups.

SR-27-N

# Specifications

# PASSIVE SPEAKER

## Performances

---

Frequency Range (-10 dB)	60Hz-20kHz
--------------------------	------------

---

LF Nominal Impedance	8 Ohms
----------------------	--------

---

LF AES Power (1)	200 W
------------------	-------

---

LF Continuous Program	400 W
-----------------------	-------

---

System Sensitivity 1 W/1 m (2)	94 dB
--------------------------------	-------

---

Beam Horizontal Angle	90 degrees
-----------------------	------------

---

Beam Vertical Angle	90 degrees
---------------------	------------

---

(1) - Based on a 2 hours test using a continuous 6 dB crest factor pink noise signal band limited according to IEC 268-1 (1985).

(2) - Free field sensitivity (Half Space sensitivity +3 dB)

(3) - Rating based on test signal of fittered random noise conforming to the International Standard IEC 268-1 (pink noise with 12 dB per octave roll-off below 40 Hz and above 5000 Hz with a peak-to average ratio of 6 dB).

# Enclosure


---

Dimensions cm (H x W x D)	48 x 28 x 26
---------------------------	--------------

---

Net Weight	8,5 Kg
------------	--------

---



**SR-27-N**  
cotas cms.

SR-27-N

---

SUMINISTROS KELONIK SA  
C/ Badajoz, 159 bis - 08018 Barcelona - Spain  
Tel. +34 93 300 43 61  
Updated (DD/MM/YYYY): 19/08/2025



## Components

	Quantity	Reference	Item Code
Enclosure Reference	-	-	-
LF Reference	1	S-8-GV	47450-A
HF Reference	1	S-32	47472-A
HF Horn	-	-	-

## Connectors

Audio Input Connectors	Push Type Terminal
------------------------	--------------------

## Spare Parts

	Reference	Item Code
LF Recone Kit	-	-
HF Recone Kit	-	-
Passive Filter	F-SR-27-N	47623-A

## Accessories

	Reference	Item Code
U type OR other Wall Bracket	SP-SR-27-P0	TBC
Vert. Tilt Bracket	SP-SR-27-P1	47265-A
Vert. & Horiz. orientation Bracket	SP-SR-27-P2	47266-A
50mm Rod clamp Bracket	SP-SR-27-T	47267-A
	-	-

SR-27-N